

Boxes

<box 80%|The full syntax:>

<**box** *width classes* | title text> contents text </**box**| caption text>

```
; //classes// : any number of classes which use the styles in your template
or the plugin's own stylesheet to determine the look of the box. The box
plugins comes with the following classes already defined:
```

- * //round// --- box will have rounded corners
- * //blue// --- blue colour scheme
- * //red// --- red colour scheme
- * //green// --- green colour scheme
- * //orange// --- orange colour scheme
- * //left// --- box is floated left on the page
- * //right// --- box is floated right on the page

```
; //width// : a percentage value from 1-100%.
; //title text// : text (including dokuwiki markup) displayed as a title
above box contents.
; //caption text// : text (without dokuwiki markup) displayed as a caption
below box contents.
```

width & *classes* can be specified in any order.

If a title is used a space MUST precede the pipe „|“ </box>


box plugin test page

<box>the most basic box</box>

<box 95% red|boxed & titled> this is also boxed </box>

<box green> this is also boxed </box|boxed & captioned>

<box round orange>as is this</box>

<box round 75% |title **with formatting**, a [link](#) and rounded corners  >boxes can also contain markup...

CosmoCode GmbH	Prenzlauer Allee 36G, 10405 Berlin - www.cosmocode.de - info@cosmocode.de
Bankverbindung	Berliner Sparkasse / IBAN: DE81 1005 0000 0063 6201 20 / SWIFT: BELADEBE / PayPal: payment@cosmocode.de / USt-ID: DE207566430
Geschäftsführer	Detlef Hüttemann, Jörg Riebesell / Amtsgericht Berlin-Charlottenburg / HRB 74063
Phone / FAX	+49 30 8145040 70 / +49 30 8145040 77

- a list
- of several
- items

```
<div class='box'>
  <b class='xtop'><b class='xb1'></b><b class='xb2'></b><b
class='xb3'></b><b class='xb4'></b></b>
  <div class='xbox'>
    <p class='box_title'>Title text would go here</p>
    <div class='box_content'>
      <p>Including this html snippet of a box</p>
      <p>All those &lt;b&gt; tags handle the rounded corners</p>
    </div>
  </div>
  <b class='xbottom'><b class='xb4'></b><b class='xb3'></b><b
class='xb2'></b><b class='xb1'></b></b>
</div>
```

headings aren't allowed in boxes

but tables are

and plugins ... ; definition : list : list : list

and a [link](#) </box>

<box |title>a box to match the default dokuwiki colour scheme</box>

<box |Example box> to test what is possible: **NICE PLUGIN:** You can

- make Lists
- other markup
- set the color of the box
- ...

looks good?

</box>

<box 80% red round| title>red box, 80% wide, with a title</box>

<box blue left> this is a blue box </box>

<box 80% blue round| title>blue box with a title</box>

<box green right> this is a green box </box>

CosmoCode GmbH	Prenzlauer Allee 36G, 10405 Berlin - www.cosmocode.de - info@cosmocode.de
Bankverbindung	Berliner Sparkasse / IBAN: DE81 1005 0000 0063 6201 20 / SWIFT: BELADEBE / PayPal: payment@cosmocode.de / USt-ID: DE207566430
Geschäftsführer	Detlef Hüttemann, Jörg Riebesell / Amtsgericht Berlin-Charlottenburg / HRB 74063
Phone / FAX	+49 30 8145040 70 / +49 30 8145040 77

Dieser Text ist deleted und dieser <ins>inserted</ins> ...

- Was ist eigentlich, wenn ein ganzer Item deleted ist?
- <ins>Und ein ganzer Item inserted?</ins>

some wiki code:

```
* Test
* Test ...
:-)
```

```
1. bla
2. blub
3. foo
4. bar
```

Level 1 Überschrift

Level 2 Überschrift

Level 3 Überschrift

Laläläöüöääüß!„\$\$&/()=?(/&%\$\$“*’# +ö_;;,



- Unordered
 1. Ohne

1. Theo

Hallo

FS#367 – html code within table

Bug:

```
<html><font color="green">OK</font></html>
```

`<html>OK</html>` will display a green ok (if the option 'htmllok' has been activated in local.php) However, the same line within a table cell will be displayed as is (not as a green ok, but as html code)

symbol	number
1	one
2	<code><html>OK</html></code>
3	three

Possible Fix: If one add the line `$this->allowedModes[] = 'html';` in the function `Doku_Parser_Mode_Table()` or `parser.php`, then this html code is correctly rendered within a cell table

FS#287 — `<html>` tag problems...

Example:

```
Hello <html><strong>world</strong>!</html>
```

Is rendered as:

```
Hello <html><strong>world</strong>!</html>
```

```
Hello
world
!
```

It should be on the same line!

While:

```
* Hello <html><strong>world</strong>!</html>
```

Is rendered as:

- Hello `<html>world!</html>`

```
- Hello <html><strong>world</strong>!</html>
```

It should be rendered as html I think...

It wasn't so with the previous parser. It worked well.

testing `<html>html</html>` that is inline ...

<box gray|hello> foo bar </box>

CosmoCode GmbH

Bankverbindung

Geschäftsführer

Phone / FAX

Prenzlauer Allee 36G, 10405 Berlin - www.cosmocode.de - info@cosmocode.de

Berliner Sparkasse / IBAN: DE81 1005 0000 0063 6201 20 / SWIFT: BELADEBE /
PayPal: payment@cosmocode.de / USt-ID: DE207566430

Detlef Hüttemann, Jörg Riebesell / Amtsgericht Berlin-Charlottenburg / HRB 74063
+49 30 8145040 70 / +49 30 8145040 77